


# Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

This Declaration of Conformity is issued based on our current state of knowledge and information provided by our suppliers when the document was created.

## **1 Issuer of the Declaration of Conformity**

Kautex Textron GmbH & Co.KG Mauermattenstraße 9  
D – 79183 Waldkirch

## **2 Manufacturer or responsible vendor of the plastic materials and items:**

Bottles and canisters as well as combinations of bottles or canisters and closures:

- Kautex Textron GmbH & Co. KG; Mauermattenstraße 9; D-79183 Waldkirch

## **3 Confirmation of Compliance**

The articles described in section 4 fulfill and comply with the requirements of:

### **EUROPEAN UNION FOOD CONTACT STATUS**

- Commission Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food.
- Commission Regulation (EC) No. 2023/2006 (of 22 December 2006) on good manufacturing practice for materials and articles intended to come into contact with food as amended.
- Commission Regulation (EU) No 10/2011 (of 14 January 2011) on plastic materials and articles intended to come into contact with food and its amendments
  - Including Regulation Commission Regulation (EU) 2019/1338 of 8 August 2019 amending Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food and (EU) 2024/3190 on the use of Bisphenol A.
- Commission Regulation (EU) No 2020/1245 (of 2 September 2020) amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food.
- (EU)Regulation N° 450/2009 on active and intelligent materials and items intended to come into contact with food.
- (EU)Regulation N° 2022/1616 on recycled plastic materials and items intended to come into contact with food. (not applicable)
- Amendment of Regulation SR 817.023.21 of the EDI on Materials and Articles Intended to Come into Contact with Foodstuffs.
- French regulation in force concerning materials and articles intended to come in contact with food, that is to say sanction decree No 2007-766 of 10th May 2007, amended by the decree No 2008-1469 of 30th December 2008
  - French decree 2012/1442 of 24th December 2012 banning Bisphenol A
  - French decree of 09/11/94 and its amendments regarding materials and rubber articles in contact with food: if the article contains or is made with a rubber accessory (eg cap with a seal)
- Regulation (EU) 1895/2005 of 18/11/05 concerning the restriction of use of certain epoxy derivatives in materials and articles intended to come into contact with foodstuffs.
- Specifications and Standards and Testing Methods of “Foodstuffs”, “Implements”, “Containers and Packaging”, “Toys” and “Detergents”, Section III - Apparatus and Containers and Packages, (Notification No. 370 of Ministry of Health, Labour and Welfare, 1959), under the Japan Food Sanitation Law (Law No. 233, 1947)




The stated requirements are met under the circumstances described in section 4.

The user shall themselves verify that the product is suitable for the intended food to be packed beyond the stipulations of the Directives.

In particular it is emphasized that in case of printed material, no contact is allowed between the printing ink and food product.

The articles described in section 4 have Halal Certification.

The articles described in section 4 do not have Kosher Certification.


**4 Identity, Specifications and Information**

Designation:	<b>Jerrycans 2L to 12L natural color</b>	
Raw material/ color	<b>HDPE</b>	
Test report No.	<b>AR-14-JR-017117-01, AR-22-JR-020115-01</b>	
Identification Number:	<p>2000095939; 2000095966; 2000086821; 2000095905; 2000096404; 2000090631;  2000095808; 2000095815; 2000095845; 2000092562; 2000095854; 2000095854;  2000098961; 2000098962; 2000098963; 2000085868; 2000090634; 2000095809;  2000090643; 2000090645; 2000093238; 2000095496; 2000092742; 2000096914;  2000095642; 2000095929; 2000090647; 2000095950; 2000095816; 2000090649;  2000095956; 2000096304; 2000095817; 2000095818; 2000095897; 2000095977;  2000095979; 2000097210; 2000098835; 2000090650; 2000090651; 2000090652;  2000090655; 2000095906; 2000094566; 2000095926; 2000096925; 2000096940;  2000096945; 2000096991; 2000096000; 2000096995; 2000097915; 2000097911;  2000098824; 2000098964; 2000085728; 2000086124; 2000080289; 2000095937;  2000086229; 2000086244; 2000095974; 2000095975; 2000096935; 2000085882;  2000086752; 2000086752; 2000086363; 2000086397; 2000086399; 2000095959;  2000094993; 2000095954; 2000095955; 2000086604; 2000086065; 2000090654;  2000094567; 2000096930; 2000096939; 2000096405; 2000095976; 2000096951;  2000095834; 2000090635; 2000086382</p>	
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	
2. Type(s) of food NOT to come into contact with the material	none	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	3% Acetic Acid: 5,2 to 1000 dm <sup>2</sup> /ml 10% Ethanol: 5,2 to 1000 dm <sup>2</sup> /ml Olive Oil: 10 to 1000 dm <sup>2</sup> /ml	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.		
6. Information about restricted substances and / or Specifications	No substances are used that are subject to SML or QM values.	
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium Salts of Fatty Acids (E470a), concentration max. 500ppm	
8. Functional barrier	None.	


9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACH – EG-Regulation 1907/2006 appendix II SVHC – EG-Regulation 1907/2006 appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation:	<b>Jerrycans 2L to 12L colored</b>	
Raw material/ color	<b>HDPE / standard colors: white, yellow, green, blue, red, black</b>	
Test report No.	<b>AR-14-JR-017117-01, AR-22-JR-020115-01, AR-22-JR-020116-01, AR-22-JR-020117-01</b>	
Identification number:	2000097887; 2000096994; 2000096950; 2000096969; 2000096395; 2000096922; 2000096922; 2000097981; 2000090632; 2000096986; 2000094999; 2000085708; 2000086032; 2000086202; 2000086766; 2000086787; 2000090637; 2000092312; 2000095902; 2000093992; 2000095000; 2000095811; 2000095864; 2000097935; 2000095907; 2000097886; 2000096924; 2000096924; 2000098233; 2000098839; 2000090657; 2000095910; 2000095862; 2000095887; 2000095866; 2000095831; 2000095833; 2000095958; 2000096992; 2000096919; 2000097903; 2000097964; 2000097931; 2000085722; 2000097991; 2000085659; 2000098852; 2000085703; 2000097956; 2000086808; 2000086881; 2000098829; 2000097930; 2000095973; 2000096934; 2000096972; 2000096975; 2000086058; 2000086062; 2000086879; 2000086840; 2000086856; 2000086858; 2000086859; 2000086870; 2000086873; 2000086874; 2000086875; 2000086753; 2000086398; 2000086762; 2000086780; 2000086475; 2000098879; 2000086409; 2000097988; 2000086067; 2000095497; 2000096929; 2000096937; 2000086803; 2000096951; 2000092634; 2000095720	
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	
2. Type(s) of food NOT to come into contact with the material	none	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	


4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	3% Acetic Acid: 5,2 to 1000 dm <sup>2</sup> /ml 10% Ethanol: 5,2 to 1000 dm <sup>2</sup> /ml Olive Oil: 10 to 1000 dm <sup>2</sup> /ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C 20% Ethanol: 10 days 40°C 50% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.	
6. Information about restricted substances and / or Specifications	Barium (SML = 1 mg/kg) – approved analytically
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium Salts of Fatty Acids (E470a), Concentration max. 500ppm White colored articles: Titanium dioxide (E171) max. 0,8% and Calcium Carbonate (E170) max. 0,5%
8. Functional barrier	none
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACH – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation:	<b>Jerrycans 15L to 20L Series A / 15L to 20L Series F</b>
Raw material/ color	<b>HDPE / standard colors: white, yellow, green, blue, red, black</b>
Test report No.	<b>AR-14-JR-017117-01, AR-22-JR-020115-01, AR-22-JR-020116-01, AR-22-JR-020117-01</b>


Identification number:	2000086663; 2000086727; 2000086815; 2000096966; 2000096932; 2000096968; 2000097501; 2000097502; 2000097503; 2000097504; 2000097509; 2000097508; 2000097955; 2000085724; 2000097507; 2000097506; 2000097917; 2000086803; 2000086609; 2000095932	
1. Type(s) of food intend to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	
2. Type(s) of food NOT to come into contact with the material	none	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	3% Acetic Acid: 5,2 to 1000 dm <sup>2</sup> /ml 10% Ethanol: 5,2 to 1000 dm <sup>2</sup> /ml Olive Oil: 10 to 1000 dm <sup>2</sup> /ml	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.		
6. Information about restricted substances and / or specifications	Barium (SML = 1 mg/kg) – approved analytically	
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium Salts of Fatty Acids (E470a), concentration max. 500ppm  For white colored articles: Titanium dioxides (E171) max. 0,8% und Calcium Carbonate (E170) max. 0,5%	
8. Functional barrier	none	
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863); REACH – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV; Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU	
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.	


Designation:	<b>Jerrycans 20L to 30L Series A</b>	
Raw material/ Color	<b>HDPE natural / standard colors: white, yellow, green, blue, red, black</b>	
Test report No.	<b>AR-14-JR-017118-01, AR-22-JR-020118-01</b>	
Identification number:	2000095770; 2000098889; 2000095965; 2000095988; 2000095771; 2000095772; 2000095767; 2000095908; 2000095953; 2000096138; 2000096232; 2000096965; 2000097937; 2000098884; 2000085574; 2000096967; 2000092031; 2000095778; 2000095991; 2000098832; 2000086321; 2000086338; 2000095773; 2000095774; 2000095775; 2000095776; 2000095978; 2000096933; 2000096960; 2000097927; 2000086786; 2000086788; 2000086888; 2000086883; 2000086877; 2000086789; 2000086790; 2000086791; 2000086792; 2000086793; 2000086794; 2000086795; 2000086796; 2000086797; 2000086845; 2000086880; 2000095780; 2000095779; 2000095957; 2000095780; 2000095781; 2000095782; 2000095783; 2000095784; 2000095785; 2000095918; 2000095919; 2000095981; 2000095982; 2000096961; 2000095933; 2000086798; 2000092032; 2000095494; 2000098781; 2000098782; 2000098783; 2000098784; 2000098785; 2000098786; 2000098787; 2000098788; 2000098789	
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	
2. Type(s) of food NOT to come into contact with the material	none	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article 3% Acetic Acid: 5,2 to 1000 dm <sup>2</sup> /ml 10% Ethanol: 5,2 to 1000 dm <sup>2</sup> /ml Olive Oil: 10 to 1000 dm <sup>2</sup> /ml	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.		
6. Information about restricted substances and / or Specifications	Zinc (SML = 25 mg/kg) – approved analytically Barium (SML = 1 mg/kg) – approved analytically	
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium Salts of Fatty Acids (E470a) White colored articles: Titanium dioxides (E171) max. 0,8% and Calcium Carbonate (E170) max. 0,5%	
8. Functional barrier	none	
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863). REACH – EG-Regulation 1907/2006 Appendix II;	


	Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation:	<b>Closures: SK45/26 MAB MDR; SK45/26 MAB MDR/GE4; SK 45/26 MAB MDR MPV D15; SK 50/32; SK 60/31 MAB MDR; SK60/31 MAB MDR MPV D15</b>	
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.	
Raw material/ color	<b>HDPE / color masterbatch / foam gasket</b>	
Identification number:	2000085869; 2000085870; 2000085871; 2000085872; 2000085873; 2000085874; 2000098877; 2000085535; 2000085946; 2000086365; 2000086080; 2000086081; 2000086083; 2000086084; 2000086085; 2000086088; 2000086086; 2000086109; 2000085449; 2000086293; 2000091901; 2000086501; 2000086763; 2000098860; 2000084766; 2000085766	
1. Type(s) of food intended to come into contact with the material	Aqueous, acid, alcoholic and fatty food products	
2. Type(s) of food NOT to come into contact with the material	Dry and milk-based food products	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	6,0dm <sup>2</sup> to 1000ml	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid	10 days 40°C
	10% Ethanol	10 days 40°C
	15% Ethanol	10 days 40°C
	20% Ethanol	10 days 40°C
	95% Ethanol + Isooctan	10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.		


<p>6. Information about restricted substances and / or Specifications</p>	<p>BUTANEDIOIC ACID, DIMETHYLESTER POLYMER WITH 4-HYDROXY-2,2,6,6 -TETRAMETHYL-1-PIPERIDINE ETHAN          BUTENE OR HEXENE          1-OCTENE          OCTADECYL-3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL) PROPIONATE          1-HEXENE          ZINC STEARATE          ZINC SALTS (INCLUDING DOUBLE S ALTS AND ACID SALTS) OF AUTHORIZED ACIDS, PHENOLS OR ALCOHOL          1,1,1-TRIMETHYLOLPROPANE          BARIUMSULFAT REF. NO. 92000          ALKYL, LINEAR WITH EVEN NUMBER OF CARBON ATOMS (C 12 -C 20 ) DIMETHYLAMINES          CAPROLACTONE          ETHYLENE GLYCOLE AND DIETHYLENE GLYCOLE WAXES, LOW MW          BHT          POLYETHYLENE WAXES, OXIDISED          TEREPHTHALIC ACID          VINYLIDENE FLUORIDE          MANGANE ACETATE          1,2-BENZISOTHAZOL-3(2H)-ONE          2-METHYL-1,3-BUTADIENE</p>
<p>7. Information about dual use additives according to Regulation (EU) No. 10/2011:</p>	<p>CALCIUM STEARATE CAS NB 1592-23-0 STEARIC ACID &amp; DERIVATIVES 0,1 - 0,25 % STEARIC ACID &amp; DERIVATIVES 3 - 5 % TITANIUM DIOXIDE 3 - 5 %          TITANIUM DIOXIDE 7 - 10 %          TITANIUM DIOXIDE 40 - 60 % E171          CALCIUM CARBONATE, E170 TALC, E553B          AMORPHOUS SILICA, E551 ZINC ACETATE          3,5-DI-TERT-BUTYL-4-HYDROXYTOLUOLE (BHT) WAXES, HIGH MW E905          BHT E320</p>
<p>8. Functional barrier</p>	<p>none</p>

<p>Designation:</p>	<p><b>Closures: SK 55/27 MAB MDR, SK 60/31</b></p>
<p>Information</p>	<p>The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.</p>
<p>Raw material/</p>	<p><b>HDPE / color masterbatch / foam gasket</b></p>

--

--

color	
Identification number:	2000085500; 2000085526; 2000085527; 2000085501; 2000086090; 2000085502; 2000085503; 2000086091; 2000086082; 2000087083; 2000087084; 2000087085;
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	6,0dm <sup>2</sup> to 1000ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid                      10 days 40°C 10% Ethanol                         10 days 40°C Olive Oil                                10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or Specifications	BUTANEDIOIC ACID, DIMETHYLESTER POLYMER WITH 4-HYDROXY-2,2,6,6 -TETRAMETHYL-1-PIPERIDINE ETHAN 1-OCTENE OCTADECYL-3-(3,5-DI-TERT-BUTYL -4-HYDROXYPHENYL) PROPIONATE 1-HEXENE ZINC STEARATE ALUMINIUM
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	CALCIUM STEARATE CAS NB 1592-23-0 TITANIUM DIOXIDE 10 - 20 % CALCIUM CARBONATE, E170 TALC, E553B AMORPHOUS SILICA, E551 ACIDS, C2-C24, ALIPHATIC, LINE AR MONOCARBOXYLIC POLYDIMETHYLSILOXANE (MW > 680 0 DA)
8. Functional barrier	none

Designation:	<b>Closures: 820; SV 51 OV-A PE</b>
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	<b>HDPE / color masterbatch / foam gasket</b>
Identification number:	2000095899; 2000095901; 2000095946; 2000095945; 2000095949; 2000095900; 2000095969; 2000095971; 2000097928; 2000086094; 2000095980; 2000095970; 2000086764; 2000086765; 2000086115; 2000086116; 2000086117

--

--

1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	Contact method: immersion
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 2 days 20°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.
8. Functional barrier	none
9. Further confirmation to the raw material	RoHS EU-Guideline 2011/65 incl. (EU 2015/863) Free from Bisphenol A Traceability is assured by the number of the packer and production date on the package label. Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU.

Designation:	<b>Closures: SKGS 45271 R05 / SKGB 45261 R04 / SKUB 45261 R04 / SYGB 60301 R04 / SKGB 60301 R06 / SKUB 60301 R06 / SKGB60301 R04</b>
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	<b>HDPE / color masterbatch / foam gasket</b>
Identification number:	2000086189; 2000098840; 2000098870; 2000095827; 2000090801; 2000095987; 2000095983; 2000095986; 2000095984; 2000085895; 2000098892; 2000096983; 2000096984; 2000096987; 2000091633; 2000091898; 2000097907; 2000095985; 2000090387; 2000090633, 2000095898; 2000095987; 2000096983; 2000096984; 2000096986; 2000096987
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011

--

--

2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at room temperature
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	6,0 dm <sup>2</sup> to 1000 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C Rectified Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	Used substances (additives and monomers) are subject to secrecy. The testing institute was however fully aware of the identities. Test conditions: 10 days 60°C
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Potential used dual use additives migrate on such a small scale that they are not able to cause any technological impact.
8. Functional barrier	none
9. Further confirmation to the raw material	BSE – no raw materials of animal origin SVHC – EG-Regulation 1907/2006. Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU
10. NIAS	Not intentionally added substances do not migrate on food, with a detection limit of 0,01 mg / kg .

Designation	Dosing pump
Raw material/ color:	
Identification number:	2000083884; 2000083885; 2000083886; 2000090568; 2000096921; 2000090480; 2000090386; 2000095872; 2000096936; 2000085761; 2000090569
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	


5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	Products contain substances with specific migration limit, listed in the regulation No. 10/2011. Migration results are in compliance with regulation No. 10/2011.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	None
8. Functional barrier	None
9. Further confirmation to the raw material	94/62/EC

The information in this document is, to our knowledge, true and accurate at the time and date of issue. Due to possible changes in the laws and regulations, or other reasons, we cannot guarantee that the status of this product will remain unchanged.

The statement is based on data and documentation received from the manufacturer. We can, if desired, submit additional documentation / specifications.

Vojens d. 22.01.2025  
 Dansk Transport Emballage A/S

Michael Gabelgaard Minke  
 QM